



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/711,781

10/05/2004

Patrick R. Guido

014682-000014

5780

44870

7590

05/13/2008

MOORE & VAN ALLEN, PLLC For IBM

P.O. Box 13706

Research Triangle Park, NC 27709

EXAMINER

ABDUL-ALI, OMAR R

ART UNIT

PAPER NUMBER

2178

MAIL DATE

DELIVERY MODE

05/13/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/711,781	<b>Applicant(s)</b> GUIDO ET AL.	
	<b>Examiner</b> OMAR ABDUL-ALI	<b>Art Unit</b> 2178	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 30 January 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-7, 9-18, 20-25 and 27-40 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-7, 9-18, 20-25, and 27-40 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### DETAILED ACTION

The following action is in response to the response filed January 30, 2008. Amended Claims 1-7, 9-18, 20-25, and 27-40 are pending and have been considered below.

1. Examiner Note: The 35 USC 101 rejections have been withdrawn as necessitated by Applicant's amendments.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-5, 9-18, 20-25, 27-32, and 34-40 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Duperrouzel et al. (US 7,149,982) in view of Bates et al. (US 6,157,381) and further in view of Horvitz et al. (US 2006/0004763).

Claim 1: Duperrouzel discloses a method for maintaining scroll position in a web user interface, comprising:

a. translating a selected scroll position in the web user interface to a pair of scroll coordinates in response to operation of a set scroll position function (column 8, lines 26-38/column 11, lines 44-54). Specifically, Duperrouzel discloses saving the positions of the horizontal and vertical scrollbars after performing a snapshot function.

Duperrouzel discloses presenting a menu including a set position option (Fig. 9/Take a Snapshot), but does not explicitly disclose operating the set scroll position in response to a right click action in a scrollbar of the web user interface. Bates discloses a similar system for maintaining scroll position in a web user interface that further discloses performing an action in a pop-up menu after right clicking at a specific location on the scroll bar (column 9, lines 10-40). It would have been obvious to present the menu including the set position option in Duperrouzel in response to performing a right click action in a scrollbar, because performing a right click action in a scrollbar was recognized as part of the ordinary capabilities of one skilled in the art. One would have been motivated to operate the set scroll position in response to a right click action in order to increase operator efficiency.

c. receiving a browser request for a URL associated with the web user interface (column 12, lines 56-60). Specifically, Duperrouzel discloses sending requests for a URL to retrieve the snapshot of the specified page.

Duperrouzel discloses resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates (column 12, lines 28-45). Specifically, Duperrouzel discloses automatically navigating back to the selected position (scroll coordinates) of the web page when data is retrieved from the specified web pages associated with each URL. However, Duperrouzel does not explicitly disclose generating a script for resetting the web user interface. Horvitz discloses a similar system for maintaining scroll position in a web user interface that further discloses inserting JavaScript (generating a script) into an HTML stream sent in

response to a user request for a URL. The grafted JavaScript is used to scroll the page to a pre-determined position for display as the browser loads the page (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to generate a script to reset the web user interface to the selected scroll position in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Horvitz discloses adding the script to a response to the browser request and automatically scrolling a browser to the selected scroll position in response to the script (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the script to a browser request and automatically scroll the browser to the selected scroll position in response to the script in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

f. advancing the web user interface to the selected scroll position in response to each occurrence of an event including at least one of opening, reloading or refreshing the web user interface or operating a hyperlink in the web user interface (column 9, lines 16-23). Specifically, Duperrouzel discloses automatically recalling the scrollbar positions when opening a snapshot.

Art Unit: 2178

Claim 2: Duperrouzel, Bates, and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 1 above, and Duperrouzel further discloses setting at least a vertical scroll position and a horizontal scroll position in response to operation of the set scroll position function (column 12, lines 6-13).

Claim 3: Duperrouzel, Bates, and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 1 above, and Duperrouzel further discloses:

a. setting either a vertical or horizontal scroll position in response to operation of the set scroll position function (column 11, lines 44-54);

b. automatically setting the other of the vertical or horizontal scroll position in response to setting either the vertical or horizontal scroll position (column 11, lines 44-54).

Claim 4: Duperrouzel, Bates, and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 1 above, and Duperrouzel further discloses:

a. storing the pair of scroll coordinates in association with a universal resource locator (URL) for the web user interface (column 11, lines 44-54).

Claim 5: Duperrouzel, Bates, and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 1 above, and Duperrouzel further discloses:

a. operating the set scroll position function in response to operating a button (take a snapshot) in the web user interface (Figure 9).

Claim 9: Duperrouzel, Bates, and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 1 above, and Duperrouzel further discloses:

a. operating the set scroll position function in association with a selected portlet (non-overlapping web page) in a portal environment to present the selected portlet at a same selected scroll position each time the portal environment is entered, refreshed, reloaded, or another portlet or hyperlink is activated in the portal environment (column 4, lines 59-67/column 9, lines 16-23).

4. Claims 10, 11, 13, 14, 20, 21, 23-25, 30, 31, 34, and 35-39 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Duperrouzel et al. (US 7,149,982) in view of Horvitz et al. (US 2006/0004763).

Claim 10: Duperrouzel discloses a method for maintaining scroll position in a web user interface, comprising:

a. receiving a browser request for a URL associated with the web user interface (column 12, lines 56-60). Specifically, Duperrouzel discloses sending requests for a URL to retrieve the snapshot of the specified page.

Duperrouzel discloses resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates (column 12, lines 28-45). Specifically, Duperrouzel discloses automatically navigating back to the selected position (scroll coordinates) of the web page when data is retrieved

Art Unit: 2178

from the specified web pages associated with each URL. However, Duperrouzel does not explicitly disclose generating a script for resetting the web user interface. Horvitz discloses a similar system for maintaining scroll position in a web user interface that further discloses inserting JavaScript (generating a script) into an HTML stream sent in response to a user request for a URL. The grafted JavaScript is used to scroll the page to a pre-determined position for display as the browser loads the page (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to generate a script to reset the web user interface to the selected scroll position in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Horvitz discloses adding the script to a response to the browser request and automatically scrolling a browser to the selected scroll position in response to the script (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the script to a browser request and automatically scroll the browser to the selected scroll position in response to the script in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Claim 11: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 10 above, and Duperrouzel further discloses:



a. forming the pair of scroll coordinates by translating the preset scroll position in the web user interface (column 8, lines 26-38).

Claim 13: Duperrouzel and Horvitz discloses a method for maintaining scroll position in a web user interface as in Claim 10 above, and Duperrouzel further discloses:

a. translating the preset scroll position to the pair of scroll coordinates in response to operation of a set scroll position function in the browser (column 8, lines 26-38/column 11, lines 44-54).

Claim 14: Duperrouzel and Horvitz discloses a method for maintaining scroll position in a web user interface as in Claim 10 above, and Duperrouzel further discloses:

a. appending the pair of scroll coordinates to the URL in response to operation of a set scroll position function in the browser (column 11, lines 44-54)

Claim 20: Duperrouzel discloses a method for maintaining scroll position in a web user interface, comprising:

- a. a server (column 4, lines 15-39);
- b. a data structure operable on the server to receive a browser request for a URL associated with the web user interface (column 12, lines 56-60). Specifically, Duperrouzel discloses sending requests for a URL to retrieve the snapshot of the specified page.

Duperrouzel discloses resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates (column 12, lines 28-45). Specifically, Duperrouzel discloses automatically navigating back to the selected position (scroll coordinates) of the web page when data is retrieved from the specified web pages associated with each URL. However, Duperrouzel does not explicitly disclose generating a script for resetting the web user interface. Horvitz discloses a similar system for maintaining scroll position in a web user interface that further discloses inserting JavaScript (generating a script) into an HTML stream sent in response to a user request for a URL. The grafted JavaScript is used to scroll the page to a pre-determined position for display as the browser loads the page (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to generate a script to reset the web user interface to the selected scroll position in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Horvitz discloses adding the script to a response to the browser request and automatically scrolling a browser to the selected scroll position in response to the script (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the script to a browser request and automatically scroll the browser to the selected scroll position in response to the script in Duperrouzel. One would have been motivated to generate a script to reset the

web user interface to the selected scroll position in order to improve the usability of web pages.

Claim 21: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 20 above, and Horvitz further discloses adding the script to a response to the browser request and automatically scrolling a browser to the selected scroll position in response to the script (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the script to a browser request and automatically scroll the browser to the selected scroll position in response to the script in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Claim 23: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 20 above, and Duperrouzel further discloses translating the preset scroll position to the pair of scroll coordinates in response to operation of a set scroll position function (take a snapshot) in the browser (column 8, lines 26-38/column 11, lines 44-54).

Claim 24: Duperrouzel and Horvitz discloses a method for maintaining scroll position in a web user interface as in Claim 20 above, and Duperrouzel further discloses

Art Unit: 2178

appending the pair of scroll coordinates to the URL in response to operation of a set scroll position function in the browser (column 11, lines 44-54)

Claim 25: Duperrouzel discloses a method for maintaining scroll position in a web user interface, comprising:

- a. a processor (column 4, lines 40-55);
- b. a set scroll position function (take a snapshot) operable on the processor (column 9, lines 16-23) ;
- c. a data structure to translate a selected scroll position in the web user interface to a pair of scroll coordinates in response to operation of the set scroll position function (column 8, lines 26-38/column 11, lines 44-54). Specifically, Duperrouzel discloses saving the positions of the horizontal and vertical scrollbars after performing a snapshot function.
- d. a data structure to advance the web user interface to the selected scroll position in response to each occurrence of an event including at least one of opening, reloading or refreshing the web user interface or operating a hyperlink in the web user interface (column 9, lines 16-23). Specifically, Duperrouzel discloses automatically recalling the scrollbar positions when opening a snapshot.
- e. providing a data structure operable on the server to receive a browser request for a URL associated with the web user interface (column 12, lines 56-60). Specifically, Duperrouzel discloses sending requests for a URL to retrieve the snapshot of the specified page.

Duperrouzel discloses resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates (column 12, lines 28-45). Specifically, Duperrouzel discloses automatically navigating back to the selected position (scroll coordinates) of the web page when data is retrieved from the specified web pages associated with each URL. However, Duperrouzel does not explicitly disclose generating a script for resetting the browser. Horvitz discloses a similar system for maintaining scroll position in a web user interface that further discloses inserting JavaScript (generating a script) into an HTML stream sent in response to a user request for a URL. The grafted JavaScript is used to scroll the page to a pre-determined position for display as the browser loads the page (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to generate a script to reset the browser to the selected scroll position in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Horvitz discloses adding the script to a response to the browser request and (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the script to a browser request in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Art Unit: 2178

Claim 27: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 26 above, and Horvitz further discloses adding the script to a response to the browser request and automatically scrolling a browser to the selected scroll position in response to the script (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the script to a browser request and automatically scroll the browser to the selected scroll position in response to the script in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Claim 29: Duperrouzel and Horvitz discloses a method for maintaining scroll position in a web user interface as in Claim 25 above, and Duperrouzel further discloses appending the pair of scroll coordinates to the URL in response to operation of a set scroll position function in the browser (column 11, lines 44-54)

Claim 30: Duperrouzel discloses a method for maintaining scroll position in a web user interface, comprising:

- a. a scroll feature to scroll the web user interface to a selected position in at least a horizontal or a vertical direction (column 9, lines 16-23);
- b. a set scroll position feature (take a snapshot) displayable in the web user interface to set or lock the selected scroll position (Figure 9);
- c. a preset scroll position (snapshot) feature (column 12, lines 28-45);

d. receiving a browser request for a URL associated with the web user interface (column 12, lines 56-60). Specifically, Duperrouzel discloses sending requests for a URL to retrieve the snapshot of the specified page.

Duperrouzel discloses resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates (column 12, lines 28-45). Specifically, Duperrouzel discloses automatically navigating back to the selected position (scroll coordinates) of the web page when data is retrieved from the specified web pages associated with each URL. However, Duperrouzel does not explicitly disclose generating a script for resetting the browser. Horvitz discloses a similar system for maintaining scroll position in a web user interface that further discloses inserting JavaScript (generating a script) into an HTML stream sent in response to a user request for a URL. The grafted JavaScript is used to scroll the page to a pre-determined position for display as the browser loads the page (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to generate a script to reset the browser to the selected scroll position in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Horvitz discloses adding the script to a response to the browser request and automatically scrolling the browser to the preset scroll position in response to the script in Duperrouzel (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the script to a

Art Unit: 2178

browser request in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Claim 31: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 30 above, and Duperrouzel further discloses the set scroll position comprises a set scroll position option included in a context menu (Figure 9).

Claim 34: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 30 above, and Duperrouzel further discloses operation of the set scroll feature (take a snapshot) causes the selected scroll position in the web user interface to be translated to a pair of scroll coordinates (column 8, lines 26-39/column 11, lines 44-60).

Claim 35: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 30 above, and Duperrouzel further discloses operation of the set scroll position function causes a browser to advance the web user interface to the selected scroll position in response to an occurrence of each event including at least one of opening, reloading or refreshing the web user interface or operating a hyperlink in the web user interface (column 9, lines 16-23). Specifically, Duperrouzel discloses automatically recalling the scrollbar positions when opening a snapshot.



Claim 36: Duperrouzel discloses a method for maintaining scroll position in a web user interface, comprising:

a. translating a selected scroll position in the web user interface to a pair of scroll coordinates in response to operation of the set scroll position function (column 8, lines 26-38/column 11, lines 44-54). Specifically, Duperrouzel discloses saving the positions of the horizontal and vertical scrollbars after performing a snapshot function.

b. advancing the web user interface to the selected scroll position in response to each occurrence of an event including at least one of opening, reloading or refreshing the web user interface or operating a hyperlink in the web user interface (column 9, lines 16-23). Specifically, Duperrouzel discloses automatically recalling the scrollbar positions when opening a snapshot.

c. receiving a browser request for a URL associated with the web user interface ((column 12, lines 56-60). Specifically, Duperrouzel discloses sending requests for a URL to retrieve the snapshot of the specified page.

Duperrouzel discloses resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates (column 12, lines 28-45). Specifically, Duperrouzel discloses automatically navigating back to the selected position (scroll coordinates) of the web page when data is retrieved from the specified web pages associated with each URL. However, Duperrouzel does not explicitly disclose generating a script for resetting the browser. Horvitz discloses a similar system for maintaining scroll position in a web user interface that further

discloses inserting JavaScript (generating a script) into an HTML stream sent in response to a user request for a URL. The grafted JavaScript is used to scroll the page to a pre-determined position for display as the browser loads the page (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to generate a script to reset the browser to the selected scroll position in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Horvitz discloses adding the script to a response to the browser request and automatically scrolling a browser to the selected scroll position in response to the script (page 9, paragraph 80). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to add the script to a browser request and automatically scroll the browser to the selected scroll position in response to the script in Duperrouzel. One would have been motivated to generate a script to reset the web user interface to the selected scroll position in order to improve the usability of web pages.

Claim 37: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 36 above, and Duperrouzel further discloses:

a. setting either a vertical or horizontal scroll position in response to operation of the set scroll position function (column 11, lines 44-54);

b. automatically setting the other of the vertical or horizontal scroll position in response to setting either the vertical or horizontal scroll position (column 11, lines 44-54).

Claim 38: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 36 above, and Duperrouzel further discloses:

a. storing the pair of scroll coordinates in association with a universal resource locator (URL) for the web user interface (column 11, lines 44-54).

Claim 39: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 36 above, and Duperrouzel further discloses the set scroll position function is operated in response to one of a right click action in a scrollbar of the web user interface to present a menu including a set position option or operating a button in the web user interface (column 11, lines 44-54).

5. Claims 15-18 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Duperrouzel et al. (US 7,149,982) in view of the article "More Usable Forms-Controlling Scroll Position", by Symonds.

Claim 15: Duperrouzel discloses a method for maintaining scroll position in a web user interface, comprising:

a. a processor (column 4, lines 40-55);

b. a set scroll position function (take a snapshot) operable on the processor  
(column 9, lines 16-23) ;

c. a data structure to translate a selected scroll position in the web user interface to a pair of scroll coordinates in response to operation of the set scroll position function (column 8, lines 26-38/column 11, lines 44-54). Specifically, Duperrouzel discloses saving the positions of the horizontal and vertical scrollbars after performing a snapshot function.

d. a data structure to advance the web user interface to the selected scroll position in response to each occurrence of an event including at least one of opening, reloading or refreshing the web user interface or operating a hyperlink in the web user interface (column 9, lines 16-23). Specifically, Duperrouzel discloses automatically recalling the scrollbar positions when opening a snapshot.

Duperrouzel does not explicitly disclose the set scroll data function comprises a JavaScript to listen for an unload event and to translate the scroll position to the pair of scroll coordinates. Symonds discloses a similar method for maintaining scroll position in a web user interface that further discloses using event handlers to save scroll coordinates in a page (page 4). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to listen for an unload event and to translate the scroll position to the pair of scroll coordinates in Duperrouzel. One would have been motivated to use a JavaScript event handler for the set scroll data function because JavaScript is a well-known programming script that is widely supported.

Claim 16: Duperrouzel and Symonds disclose a method for maintaining scroll position in a web user interface, and Duperrouzel further discloses a data structure to set at least a vertical scroll position and a horizontal scroll position in response to operation of the set scroll position (take a snapshot) function (column 12, lines 6-13).

Claim 17: Duperrouzel and Symonds disclose a method for maintaining scroll position in a web user interface, and Duperrouzel further discloses a storage device to store the pair of scroll coordinates in association with a URL for the web user interface (column 4, lines 40-68).

Claim 18: Duperrouzel and Symonds disclose a method for maintaining scroll position in a web user interface, and Duperrouzel further discloses the set scroll position function is operated in response to one of a right click action in a scrollbar of the web user interface to present a menu including a set position option or operating a button in the web user interface (column 11, lines 44-54).

6. Claims 6 and 7 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Duperrouzel et al. (US 7,149,982) in view of Bates et al. (US 6,157,381) further in view of Horvitz et al. (US 2006/0004763) and further in view of the article "More Usable Forms-Controlling Scroll Position", by Symonds.

Art Unit: 2178

Claim 6: Duperrouzel, Bates, and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 1 above, and Horvitz further discloses using JavaScript to scroll to a predetermined position when a page is loaded. However, the references do not explicitly disclose listening for an unload event triggered in response to a browser unloading the web user interface. Symonds discloses a similar method for maintaining scroll position in a web user interface that further discloses using event handlers to scroll to a position based on an onLoad() event. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to listen for an unload event triggered in response to a browser unloading the web user interface. One would have been motivated to listen for an unload event triggered in response to a browser unloading the web user interface in order to automatically execute the scroll position every time the page is loaded.

Claim 7: Duperrouzel, Bates, Horvitz, and Symonds disclose a method for maintaining scroll position in a web user interface as in Claim 6 above, and Symonds further discloses using event handlers to save scroll coordinates in a page (page 4).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to listen for an unload event and to translate the scroll position to the pair of scroll coordinates in Duperrouzel. One would have been motivated to use a JavaScript event handler for the set scroll data function because JavaScript is a well-known programming script that is widely supported.

7. Claims 12, 22, 28, and 40 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Duperrouzel et al. (US 7,149,982) in view of Horvitz et al. (US 2006/0004763) and further in view of the article "More Usable Forms-Controlling Scroll Position", by Symonds.

Claims 12, 22 and 28: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claims 10, 20, and 25 above, and Duperrouzel further discloses appending the pair of scroll coordinates to the URL in response to operation of a set scroll position function in the browser (column 11, lines 44-54), but neither reference explicitly discloses listening for an unload event. Symonds discloses a similar method for maintaining scroll position in a web user interface that further discloses using event handlers to scroll to a position based on an onLoad() event. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to listen for an unload event in Duperrouzel. One would have been motivated to listen for an unload event in order to automatically execute the scroll position every time the page is loaded.

Claim 40: Duperrouzel and Horvitz discloses a method for maintaining scroll position in a web user interface as in Claim 36 above, and Horvitz further discloses using JavaScript to scroll to a predetermined position when a page is loaded. However, the references do not explicitly disclose listening for an unload event triggered in response to a browser unloading the web user interface. Symonds discloses a similar method for

maintaining scroll position in a web user interface that further discloses using event handlers to scroll to a position based on an onLoad() event. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to listen for an unload event triggered in response to a browser unloading the web user interface. One would have been motivated to listen for an unload event triggered in response to a browser unloading the web user interface in order to automatically execute the scroll position every time the page is loaded.

8. Claim 32 remains rejected under 35 U.S.C. 103(a) as being unpatentable over Duperrouzel et al. (US 7,149,982) in view of Bates et al. (US 6,157,381) and further in view of Horvitz et al. (US 2006/0004763).

Claim 32: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 31 above, and Duperrouzel further discloses presenting a menu including a set position option (Fig. 9/Take a Snapshot), but does not explicitly disclose operating the set scroll position in response to a right click action in a scrollbar of the web user interface. Bates discloses a similar system for maintaining scroll position in a web user interface that further discloses performing an action in a pop-up menu after right clicking at a specific location on the scroll bar (column 9, lines 10-40). It would have been obvious to present the menu including the set position option in Duperrouzel in response to performing a right click action in a scrollbar, because performing a right click action in a scrollbar was recognized as part of the ordinary



capabilities of one skilled in the art. One would have been motivated to operate the set scroll position in response to a right click action in order to increase operator efficiency.

9. Claim 33 remains rejected under 35 U.S.C. 103(a) as being unpatentable over Duperrouzel et al. (US 7,149,982) in view of Horvitz et al. (US 2006/0004763) and further in view of Ishikawa (US 5,506,951).

Claim 33: Duperrouzel and Horvitz disclose a method for maintaining scroll position in a web user interface as in Claim 30 above, but neither reference explicitly discloses the set scroll position feature comprises a floating button. Ishikawa discloses a similar user interface for maintaining scroll position in a web user interface that further discloses creating a jump tag to indicate a saved scroll position (column 5, lines 53-62).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include a floating button with the set scroll position feature. One would have been motivated to include a floating button with the set scroll position feature to provide a visual indicator to the user that specifies the set position of the scrollbars.

### ***Response to Arguments***

10. Applicant's arguments filed January 30, 2008 have been fully considered but they are not persuasive.

Claims 1, 15, 25, 30, and 36: Applicant argues none of the cited references, taken alone or in any proper combination, disclose generating a script for resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates. However, Duperrouzel teaches resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates by disclosing automatically navigating back to the selected position (scroll coordinates) of the web page when data is retrieved from the specified web pages associated with each URL. The Horvitz reference is relied upon to teach the limitation of generating the script for resetting the web user interface by disclosing inserting JavaScript (generating a script) into an HTML stream sent in response to a user request for a URL. The grafted JavaScript is used to scroll the page to a pre-determined position for display as the browser loads the page (page 9, paragraph 80). Additionally, the Horvitz reference is relied upon to teach the limitation of adding the script to the browser request by inserting the script into the HTML stream sent in response to the user request for a URL as the browser loads the page.

Claim 15: Applicant argues Duperrouzel modified by Symonds does not disclose or suggest the limitations, "wherein the set of scroll data function comprises a java script to listen for an unload event and to translate the scroll position to the pair of scroll coordinates". The Examiner respectfully disagrees. Symonds discloses using event handlers to save scroll coordinates in a page (page 4). Specifically, Symonds discloses a java script event handler onload= "javascript:scrollToCoordinates()" which is an

unload event used to scroll the page to previously saved scroll coordinates generated by the "saveScrollCoordinates()" function.

### ***Conclusion***

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to OMAR ABDUL-ALI whose telephone number is (571)270-1694. The examiner can normally be reached on Mon-Fri(Alternate Fridays Off) 8:30 - 6:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Hong can be reached on 571-272-4124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

OAA  
5/07/2008

/Stephen S. Hong/  
Supervisory Patent Examiner, Art  
Unit 2178